




PSE適合電源 [IP66] (入力 AC100 ~ 200V 対応)

TLELV電源 DC12Vシリーズ 図面

製品型番

- TLELV60-12-5R0
- TLELV90-12-7R5



- NOTE:
- 4xR3.0 SLOT ARE FOR CUSTOMER MOUNTING HOLES. ALL MUST BE SCREWED IN ORDER TO CONFORM THE VIBRATION SPEC.
 - MODEL NAME, INPUT VOLTAGE RANGE, NOMINAL OUTPUT VOLTAGE, MAXIMUM OUTPUT CURRENT AND COUNTRY OF MANUFACTURE ARE SHOWN HERE IN ACCORDANCE WITH THE SPECIFICATIONS.
 - INPUT WIRE & OUTPUT WIRE ARE SOLDER FINISHED.




(unit : mm)

MODEL NAME	ELV60
TDK-Lambda	
V004-02-01C	

単位 : mm / mm

仕様図面

変更箇所	変更年月日	詳細	寸法 (mm)	40.2×45.5×253.0	定格入力電圧	AC100~200V	名称	PSE適合電源[IP66] TLELV60-12-5R0	
△			質量 (g)	830	定格入力電流	0.78A<100V>	型番	TLELV60-12-5R0	縮尺 Free
△			メーカー型式	ELV60-12-5R0	最大出力電力	60.0W	井上 武部 橋本	トライト株式会社	
△					定格出力電圧	12.0V			
△					最大出力電流	5.0A	承認	検図	製図
△					効率	82%<100V>	図番	TLELV60-12-5R0-20-03	2020年03月20日



NOTE:

- 4xR3.0 SLOT ARE FOR CUSTOMER MOUNTING HOLES. ALL MUST BE SCREWED IN ORDER TO CONFORM THE VIBRATION SPEC.
- MODEL NAME, INPUT VOLTAGE RANGE, NOMINAL OUTPUT VOLTAGE, MAXIMUM OUTPUT CURRENT AND COUNTRY OF MANUFACTURE ARE SHOWN HERE IN ACCORDANCE WITH THE SPECIFICATIONS.
- INPUT WIRE & OUTPUT WIRE ARE SOLDER FINISHED.

(unit : mm)

MODEL NAME	ELV90
TDK-Lambda	
V006-02-01C	

単位 : mm / mm

仕様図面

変更箇所	変更年月日	詳細	寸法 (mm)	40.2×45.5×253.0	定格入力電圧	AC100~200V	名称	PSE適合電源[IP66] TLELV90-12-7R5				
△			質量 (g)	830	定格入力電流	1.13A(100V)	型番	TLELV90-12-7R5	縮尺 Free			
△			メーカー型式	ELV90-12-7R5	最大出力電力	90.0W	井上 武部 橋本	トライト株式会社				
△					定格出力電圧	12.0V		承認	検図	製図	図番	TLELV90-12-7R5-20-03
△					最大出力電流	7.5A						
△					効率	81%(100V)						

FNAME
REVDATE
USER